

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : CQMIT 1.5

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Comercial Química Massó, S.A.
 C/Viladomat, 321, 5º
 08029 Barcelona - SPAIN
 T +34 934 952 500 - F +34 934 952 502
msds.support@cqmasso.com

1.4. Emergency telephone number

Emergency number : 704 100 087 (España)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314
 Category 1B
 Sensitisation — Skin, H317
 Category 1
 Hazardous to the aquatic H412
 environment — Chronic
 Hazard, Category 3

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to display/Extra classification(s) to display

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray
 P264 - Wash hands, forearms and face thoroughly after handling
 P272 - Contaminated work clothing should not be allowed out of the workplace
 P273 - Avoid release to the environment
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P102 - Keep out of reach of children

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol substance with national workplace exposure limit(s) (DE)	(CAS No) 25265-71-8 (EC no) 246-770-3 (REACH-no) 01-2119456811-38	>= 89,29	Not classified	Not classified
5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)	(CAS No) 55965-84-9 (EC index no) 613-167-00-5	1,07 - 2,14	T; R23/24/25 C; R34 R43 N; R50/53	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Magnesium nitrate	(CAS No) 10377-60-3 (EC no) 233-826-7	1,07 - 2,14	O; R8 Xi; R36/38	Eye Irrit. 2, H319 Skin Irrit. 2, H315

Specific concentration limits:

Name	Product identifier	Specific concentration limits: DSD/DPD	Specific concentration limits: CLP
5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)	(CAS No) 55965-84-9 (EC index no) 613-167-00-5	(C >= 0,0015) R43 (0,06 =< C < 0,6) Xi; R36/38 (C >= 0,6) C; R34	(C >= 0,0015) Skin Sens. 1, H317 (0,06 =< C < 0,6) Eye Irrit. 2, H319 (0,06 =< C < 0,6) Skin Irrit. 2, H315 (C >= 0,6) Skin Corr. 1B, H314

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
 Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
 Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
 Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.
 Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
 Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
 Incompatible products : Strong bases. Strong acids.
 Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

See Heading 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipropylene glycol (25265-71-8)

Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	100 mg/m ³
Germany	TRGS 900 Limitation of exposure peaks (mg/m ³)	200 mg/m ³

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Materials for protective clothing	: Body protection depending on activity and possible exposure, eg, suit resistant protection chemicals type 6 (according to EN 13688 EN 13034 + A1)
Hand protection	: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemical which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), as well as the instructions/specifications provided by the gloves supplier.
Eye protection	: Protection glasses universal mount (EN 166)
Skin and body protection	: Body protection depending on activity and possible exposure, eg, suit resistant protection chemicals type 4 (according to EN 14605)
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Where excessive vapour may result, wear approved mask
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 4 - 6
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < -20 °C
Freezing point	: No data available
Boiling point	: > 200 °C
Flash point	: > 100 °C
Auto-ignition temperature	: > 300 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1,045
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

CQMIT 1.5	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Dipropylene glycol (25265-71-8)	
LD50 oral	13300 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 8000 mg/m ³

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 4 - 6
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 4 - 6
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

CQMIT 1.5	
LC50 fishes	> 10 mg/l
EC50 Daphnia	> 10 mg/l
EC50 72h algae (1)	> 10 mg/l

Dipropylene glycol (25265-71-8)	
LC50 fishes	> 5000 mg/l
EC50 other aquatic organisms 1	> 100 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 100 mg/l IC50 algae (72 h) mg/l

12.2. Persistence and degradability

CQMIT 1.5	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

CQMIT 1.5	
Bioaccumulative potential	Not established.
Dipropylene glycol (25265-71-8)	
Log Pow	-1,07

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to ..

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1760
 UN-No. (IMDG) : 1760
 UN-No. (IATA) : 1760

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S.
 Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.
 Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.
 Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S. (5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)), 8, III, (E)
 Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S., 8, III
 Transport document description (IATA) : UN 1760 Corrosive liquid, n.o.s., 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
 Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
 Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
 Hazard labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : III
 Packing group (IMDG) : III
 Packing group (IATA) : III


14.5. Environmental hazards

Dangerous for the environment : No
 Marine pollutant : No
 Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C9
 Special provisions (ADR) : 274
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T7
 Portable tank and bulk container special provisions (ADR) : TP1, TP28
 Tank code (ADR) : L4BN
 Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Hazard identification number (Kemler No.) : 80
 Orange plates :



Tunnel restriction code (ADR) : E
 EAC code : 2X
 APP code : B

- Transport by sea

Special provisions (IMDG) : 223, 274
 Limited quantities (IMDG) : 5 L
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T7
 Tank special provisions (IMDG) : TP1, TP28
 EmS-No. (Fire) : F-A



CQMIT 1.5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) : S-B
 Stowage category (IMDG) : A
 Stowage and handling (IMDG) : SW2
 Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y841
 PCA limited quantity max net quantity (IATA) : 1L
 PCA packing instructions (IATA) : 852
 PCA max net quantity (IATA) : 5L
 CAO packing instructions (IATA) : 856
 CAO max net quantity (IATA) : 60L
 Special provisions (IATA) : A3
 ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
 Contains no substance on the REACH candidate list
 Contains no REACH Annex XIV substances

15.1.2. National regulations

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
 Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
 Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:
 General update.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Training advice : workers must have risk-specific training.

Other information : None.

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2



Date of issue: 05/02/2016
 Revision date: 04/02/2016
 Version: 1.0
 Supersedes: 17/09/2014



CQMIT 1.5

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1	Sensitisation — Skin, Category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R36/38	Irritating to eyes and skin
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R8	Contact with combustible material may cause fire
C	Corrosive
N	Dangerous for the environment
O	Oxidising
T	Toxic
Xi	Irritant

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1B	H314	Método de cálculo
Skin Sens. 1	H317	Método de cálculo
Aquatic Chronic 3	H412	Método de cálculo

The information in this document is based on our best current knowledge. No part of its contents should be considered as a warranty, express or implied, to specific properties and / or product use conditions. In all cases, it is the responsibility of users matching the recommendations and determining the suitability of any product for a particular application or use. For this and other reasons, we assume no liability for loss, damage or expense caused by matters relating to the handling, storage, use or disposal of product.



Date of issue: 05/02/2016
 Revision date: 04/02/2016
 Version: 1.0
 Supersedes: 17/09/2014